

Оптические и акустические сигнализаторы

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



A7-MP1-100-M12

Tower light element

Version: Horizontal mounting

Diameter: 70 mm

Module holder: One side

Series: A7



A7-MW2.5

Tower light element

Series: A7



A7-MW2

Tower light element

Series: A7



A7-MH1-M12

Tower light element

Version: Horizontal mounting

Diameter: 70 mm

Module holder: One side

Series: A7



A7-MH1

Tower light element

Version: Horizontal mounting

Diameter: 70 mm

Module holder: One side

Series: A7



A7-MP2-400

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



A7-MP2-250

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



A7-MP2-100

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



A7-MP1-400

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



A7-MP1-250

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



E4-MP1-250

Tower light element

Version: Base mounting
Diameter: 40 mm
Module holder: One side
Series: E4



E4-MP1-100

Tower light element

Version: Base mounting
Diameter: 40 mm
Module holder: One side
Series: E4



E4-MW2

Tower light element

Version: Bracket mounting
Diameter: 40 mm
Module holder: Two-sided
Series: E4



E4-MW1

Tower light element

Version: Bracket mounting
Diameter: 40 mm
Module holder: One side
Series: E4



E4-MH1

Tower light element

Version: Horizontal mounting
Diameter: 40 mm
Module holder: One side
Series: E4



E7-MP1-400

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: E7



E7-MP1-100

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: E7



E7-MP1-250

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: E7



E7-MW2

Tower light element

Version: Bracket mounting
Diameter: 70 mm
Module holder: Two-sided
Series: E7



E7-MW1

Tower light element

Version: Bracket mounting
Diameter: 70 mm
Module holder: One side
Series: E7



E7-MH1

Tower light element

Version: Horizontal mounting
Diameter: 70 mm
Module holder: One side
Series: E7



A7-MP1-100

Tower light element

Version: Base mounting
Diameter: 70 mm
Module holder: One side
Series: A7



E4-MP1-400

Tower light element

Version: Base mounting
Diameter: 40 mm
Module holder: One side
Series: E4



M4-V1-MW3-DS-C-T-M12-200

Muting indicator

Dimension (Øx L): 40 mm



M7-V1-MW3-DS-C-T-M12-200

Muting indicator

Dimension (Øx L): 70 mm



A7-V1-DS-M7-T

Tower light element

Series: A7

Diameter: 70 mm

Type of signaling: Optical, Continuous or flashing light



A7-V1-DS-Y-T

Tower light element

Series: A7

Lens color: Yellow

Diameter: 70 mm

Type of signaling: Optical, Continuous light



A7-V1-BZ3-S

Tower light element

Series: A7

Diameter: 70 mm

Type of signaling: Acoustic



A7-V1-DB-G-T

Tower light element

Series: A7

Lens color: Green

Diameter: 70 mm

Type of signaling: Optical, Flashing light



A7-V1-DB-O-T

Tower light element

Series: A7

Lens color: Orange

Diameter: 70 mm

Type of signaling: Optical, Flashing light



A7-V1-DB-R-T

Tower light element

Series: A7
Lens color: Red
Diameter: 70 mm
Type of signaling: Optical, Flashing light



A7-V1-BZ2-S

Tower light element

Series: A7
Diameter: 70 mm
Type of signaling: Acoustic



A7-V1-BZ1-M

Tower light element

Series: A7
Diameter: 70 mm
Type of signaling: Acoustic



A7-V1-DS-W-T

Tower light element

Series: A7
Lens color: Clear
Diameter: 70 mm
Type of signaling: Optical, Continuous light



A7-V1-DS-B-T

Tower light element

Series: A7
Lens color: Blue
Diameter: 70 mm
Type of signaling: Optical, Continuous light



A7-V1-DS-G-T

Tower light element

Series: A7
Lens color: Green
Diameter: 70 mm
Type of signaling: Optical, Continuous light



A7-V1-DS-O-T

Tower light element

Series: A7
Lens color: Orange
Diameter: 70 mm
Type of signaling: Optical, Continuous light



E4-V1-DS-B

Tower light element

Series: E4
Lens color: Blue
Diameter: 40 mm
Type of signaling: Optical, Continuous light



E4-V1-DS-C

Tower light element

Series: E4
Lens color: Clear
Diameter: 40 mm
Type of signaling: Optical, Continuous light



E7-V1-DS-G

Tower light element

Series: E7
Lens color: Green
Diameter: 70 mm
Type of signaling: Optical, Continuous light



E7-V1-DS-B

Tower light element

Series: E7
Lens color: Blue
Diameter: 70 mm
Type of signaling: Optical, Continuous light



A7-V1-DS-R-T

Tower light element

Series: A7

Lens color: Red

Diameter: 70 mm

Type of signaling: Optical, Continuous light



E4-V1-BZ1

Tower light element

Series: E4

Diameter: 40 mm

Type of signaling: Acoustic



E4-V1-DB-Y

Tower light element

Series: E4

Lens color: Yellow

Diameter: 40 mm

Type of signaling: Optical, Flashing light



E4-V1-DB-G

Tower light element

Series: E4

Lens color: Green

Diameter: 40 mm

Type of signaling: Optical, Flashing light



E4-V1-DB-B

Tower light element

Series: E4

Lens color: Blue

Diameter: 40 mm

Type of signaling: Optical, Flashing light



E4-V1-DB-C

Tower light element

Series: E4
Lens color: Clear
Diameter: 40 mm
Type of signaling: Optical, Flashing light



E4-V1-DB-R

Tower light element

Series: E4
Lens color: Red
Diameter: 40 mm
Type of signaling: Optical, Flashing light



E4-V1-DB-O

Tower light element

Series: E4
Lens color: Orange
Diameter: 40 mm
Type of signaling: Optical, Flashing light



E4-V1-DS-Y

Tower light element

Series: E4
Lens color: Yellow
Diameter: 40 mm
Type of signaling: Optical, Continuous light



E4-V1-DS-G

Tower light element

Series: E4
Lens color: Green
Diameter: 40 mm
Type of signaling: Optical, Continuous light



E4-V1-DS-R

Tower light element

Series: E4

Lens color: Red

Diameter: 40 mm

Type of signaling: Optical, Continuous light



E4-V1-DS-O

Tower light element

Series: E4

Lens color: Orange

Diameter: 40 mm

Type of signaling: Optical, Continuous light



E7-V1-BZ1

Tower light element

Series: E7

Diameter: 70 mm

Type of signaling: Acoustic



E7-V1-DB-Y

Tower light element

Series: E7

Lens color: Yellow

Diameter: 70 mm

Type of signaling: Optical, Flashing light



E7-V1-DB-G

Tower light element

Series: E7

Lens color: Green

Diameter: 70 mm

Type of signaling: Optical, Flashing light



E7-V1-DB-B

Tower light element

Series: E7
Lens color: Blue
Diameter: 70 mm
Type of signaling: Optical, Flashing light



E7-V1-DB-C

Tower light element

Series: E7
Lens color: Clear
Diameter: 70 mm
Type of signaling: Optical, Flashing light



E7-V1-DB-R

Tower light element

Series: E7
Lens color: Red
Diameter: 70 mm
Type of signaling: Optical, Flashing light



E7-V1-DB-O

Tower light element

Series: E7
Lens color: Orange
Diameter: 70 mm
Type of signaling: Optical, Flashing light



E7-V1-DS-Y

Tower light element

Series: E7
Lens color: Yellow
Diameter: 70 mm
Type of signaling: Optical, Continuous light



E7-V1-DS-C

Tower light element

Series: E7

Lens color: Clear

Diameter: 70 mm

Type of signaling: Optical, Continuous light



E7-V1-DS-R

Tower light element

Series: E7

Lens color: Red

Diameter: 70 mm

Type of signaling: Optical, Continuous light



E7-V1-DS-O

Tower light element

Series: E7

Lens color: Orange

Diameter: 70 mm

Type of signaling: Optical, Continuous light



TL305-3MC-IOL-M12

Tower light

Type of signaling: Optical

Lens modules: 3 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



TL305-AC.MB1

Tower light element

Version: Angle, L-shape

Series: TL 305-AC



TL305-AC.EP.100

Tower light element

Version: Extension pipe

Series: TL 305-AC



TL305-AC.MF.65

Tower light element

Version: Mounting base

Series: TL 305-AC



A7-MW2.5

Tower light element

Version: Angle, L-shape

Series: A7



A7-MW2

Tower light element

Version: Angle, L-shape

Series: A7



TL305-ROGBW-BZ-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 5 pieces, ready-made

Series: TL 305



TL305-ROGBW-M12

Tower light

Type of signaling: Optical

Lens modules: 5 pieces, ready-made

Series: TL 305



TL305-ROGB-BZ-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 4 pieces, ready-made

Series: TL 305



TL305-ROGB-M12

Tower light

Type of signaling: Optical

Lens modules: 4 pieces, ready-made

Series: TL 305



TL305-ROG-BZ-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 3 pieces, ready-made

Series: TL 305

TL305-ROG-M12

Tower light

Type of signaling: Optical

Lens modules: 3 pieces, ready-made

Series: TL 305



TL305-5MC-BZ-IOL-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 5 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



TL305-5MC-IOL-M12

Tower light

Type of signaling: Optical

Lens modules: 5 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



TL305-4MC-BZ-IOL-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 4 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



TL305-4MC-IOL-M12

Tower light

Type of signaling: Optical

Lens modules: 4 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



TL305-3MC-BZ-IOL-M12

Tower light

Type of signaling: Optical and acoustic

Lens modules: 3 pieces, ready-made

Type of interface: IO-Link

Series: TL 305-IOL



A7-V1-MP2-BZ2-S-DS-ROG-T-100

Tower light

Type of signaling: Optical and acoustic
Lens modules: 4 pieces, ready-made
Series: A7



A7-V1-MP1-DS-M7-T-100-M12

Tower light

Type of signaling: Optical
Lens modules: 1 piece
Series: A7



A7-V1-MP1-DS-M7-T-100

Tower light

Type of signaling: Optical
Lens modules: 1 piece
Series: A7



A7-V1-MP1-BZ2-S-DS-ROG-T-100

Tower light

Type of signaling: Optical and acoustic
Lens modules: 4 pieces, ready-made
Series: A7



A7-V1-MP1-DS-ROG-T-100

Tower light

Type of signaling: Optical
Lens modules: 3 pieces, ready-made
Series: A7



D9-V1-G-SGSOSRBZ2

Tower light

Type of signaling: Optical and acoustic
Lens modules: 3 pieces, ready-made
Series: D9

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>