

Лазерные системы позиционирования

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



ODSL 30/24-30M-Ex d

Optical distance sensor

Series: 30, 30, 30



AMS 108i 40 H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm



AMS 108i 120 H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm



AMS 108i 40

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm



AMS 108i 120

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm



AMS 108i 40 BTA H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm



AMS 108i 120 BTA H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm



AMS 108i 40 BTA

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm



AMS 108i 120 BTA

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm



ODSL 30/D232.01-30M-S12

Optical distance sensor

Series: 30, 30, 30

Measurement range, max.: 200 ... 65,000 mm

Interface: RS 232



AMS 107i 120 H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm

Interface: SSI



AMS 107i 40 H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm

Interface: SSI



AMS 107i 120

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm

Interface: SSI



AMS 107i 40

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm

Interface: SSI



AMS 107i 120 BTA H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm

Interface: SSI



AMS 107i 40 BTA H

Optical positioning sensor

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm

Interface: SSI



AMS 107i 40 BTA

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 40,000 mm

Interface: SSI



AMS 107i 120 BTA

Series: AMS 100i, AMS 100i

Measurement range, max.: 100 ... 120,000 mm

Interface: SSI



AMS 307i 120

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: SSI



AMS 307i 40

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: SSI



AMS 348i 300 H SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: SSI, PROFINET



AMS 348i 200 H SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: SSI, PROFINET



AMS 348i 120 H SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: SSI, PROFINET



AMS 348i 40 H SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: SSI, PROFINET



AMS 348i 300 SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: SSI, PROFINET



AMS 348i 200 SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: SSI, PROFINET



AMS 348i 120 SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: SSI, PROFINET



AMS 348i 40 SSI

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: SSI, PROFINET



AMS 384i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: Interbus-S



AMS 384i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: Interbus-S



AMS 384i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: Interbus-S



AMS 384i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: Interbus-S



AMS 384i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: Interbus-S



AMS 384i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: Interbus-S



AMS 384i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: Interbus-S



AMS 384i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: Interbus-S



AMS 358i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: EtherNet IP



AMS 358i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: EtherNet IP



AMS 358i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: EtherNet IP



AMS 358i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: EtherNet IP



AMS 358i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: EtherNet IP



AMS 358i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: EtherNet IP



AMS 358i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: EtherNet IP



AMS 358i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: EtherNet IP



AMS 355i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: DeviceNet



AMS 355i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: DeviceNet



AMS 355i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: DeviceNet



AMS 355i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: DeviceNet



AMS 355i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: DeviceNet



AMS 355i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: DeviceNet



AMS 355i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: DeviceNet



AMS 355i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: DeviceNet



AMS 348i 300 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: PROFINET



AMS 348i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: PROFINET



AMS 348i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: PROFINET



AMS 348i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: PROFINET



AMS 348i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: PROFINET



AMS 348i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: PROFINET



AMS 348i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: PROFINET



AMS 348i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: PROFINET



AMS 338i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: EtherCAT



AMS 338i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: EtherCAT



AMS 338i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: EtherCAT



AMS 338i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: EtherCAT



AMS 338i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: EtherCAT



AMS 338i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: EtherCAT



AMS 338i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: EtherCAT



AMS 338i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: EtherCAT



AMS 335i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: CANopen



AMS 335i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: CANopen



AMS 335i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: CANopen



AMS 335i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: CANopen



AMS 335i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: CANopen



AMS 335i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: CANopen



AMS 335i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: CANopen



AMS 335i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: CANopen



AMS 308i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm



AMS 308i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm



AMS 308i 120 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm



AMS 308i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm



AMS 308i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm



AMS 308i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm



AMS 308i 120

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm



AMS 308i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm



AMS 304i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: PROFIBUS DP, SSI



AMS 304i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: PROFIBUS DP, SSI



AMS 301i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: RS 485



AMS 301i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: RS 485



AMS 301i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: RS 485



AMS 301i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: RS 485



AMS 301i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: RS 485



AMS 301i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: RS 485



AMS 301i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: RS 485



AMS 301i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: RS 485



AMS 300i 300 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: RS 232, RS 422



AMS 300i 200 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: RS 232, RS 422



AMS 300i 120 H

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: RS 232, RS 422



AMS 300i 40 H

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: RS 232, RS 422



AMS 300i 300

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 300,000 mm

Interface: RS 232, RS 422



AMS 300i 200

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 200,000 mm

Interface: RS 232, RS 422



AMS 300i 120

Optical distance sen

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 120,000 mm

Interface: RS 232, RS 422



AMS 300i 40

Optical distance sensor

Series: AMS 300i, AMS 300i

Measurement range, max.: 200 ... 40,000 mm

Interface: RS 232, RS 422



ODSL 30/V-30M Ex d

Optical distance sensor

Series: 30, 30, 30

Analog output: Analog output, Current, Analog output, Current, An...



ODSL 30/D485-30M-S12

Optical distance sensor

Series: 30, 30, 30

Measurement range, max.: 200 ... 65,000 mm

Interface: RS 485



ODSL 30/D232-30M-S12

Optical distance sensor

Series: 30, 30, 30

Measurement range, max.: 200 ... 65,000 mm

Interface: RS 232



ODSL 30/24-30M-S12

Optical distance sensor

Series: 30, 30, 30

Measurement range, max.: 200 ... 30,000 mm



ODSL 30/V-30M-S12

Optical distance sensor

Series: 30, 30, 30

Analog output: Analog output, Current, Analog output, Current, An...

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>