

Многолучевые световые защитные устройства MLD 500

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



MLD510-R2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R2/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R2E/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R3/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R3E/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R4/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-T4/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R4E/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart

MLD500-T4/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD510-XR2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-XT2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD510-XR2/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-XT2/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD510-XR2E/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart





MLD510-XR3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-XR3/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-XR3E/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-XR4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-XR4/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-XR4E/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R2M/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R3M/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD510-R4M/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart

MLD500-T4/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD510-R2LM/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2L/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD510-R3LM/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3L/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD510-R4LM/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart





MLD500-T4L/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD500-XT2/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No



MLD500-XT2L/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD500-XT4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No



MLD500-XT4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD510-R2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R2L/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2L/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R2LE/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-T2L/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R3L/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3L/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R3LE/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-T3L/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-R4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Automatic restart



MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD510-R4L/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Automatic restart



MLD500-T4L/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD510-R4LE/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Automatic restart

MLD500-T4L/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD510-XR2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-XT2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD510-XR2L/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart



MLD500-XT2L/A

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD510-XR2LE/A

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Automatic restart





MLD510-XR3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-XR3L/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3L/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-XR3LE/A

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Automatic restart



MLD500-XT3L/A

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-XR4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-XR4L/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4L/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD510-XR4LE/A

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Automatic restart



MLD500-XT4L/A

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD520-R2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-R3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-R4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...

MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD520-XR2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-XT2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD520-XR3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-XT3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD520-XR4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Start/restart interlock (RES), selectable, Configu...





MLD520-R2M

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-R3M

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-R4M

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-XR2M

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-XT2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-XR3M

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-XT3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-XR4M

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-XT4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD520-R2LM

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD520-R3LM

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD520-R4LM

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...

MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction



MLD520-XR2LM

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...




MLD500-XT2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product



MLD520-XR3LM

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD500-XT3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD520-XR4LM

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...



MLD520-R2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD520-R3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD520-R4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD520-XR2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-XT2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD520-XR3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-XT3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD520-XR4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...



MLD500-XT4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD530-R2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD530-R3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD530-R4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD530-XR2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD530-XR3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No



Combination product

MLD530-XR4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...





MLD530-R2M

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD530-R3M

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD530-R4M

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD530-R2LM

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD530-R3LM

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD530-R4LM

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD530-R2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD530-R3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes

Combination product



MLD530-R4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD530-XR2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD530-XR3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD530-XR4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...





MLD500-XT4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD500-XT4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No



MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD520-RT3

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)
Functions: Start/restart interlock (RES), selectable, Configu...
Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m
Number of beams: 3 Piece(s)



MLD535-R2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD535-R3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD535-R4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD535-XR2

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD535-XR3

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD535-XR4

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-XT4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: No

Combination product



MLD535-R2M

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD535-R3M

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: No

Combination product



MLD535-R4M

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

MLD500-T4

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)

Functions: Range reduction

MLD535-R2LM

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD535-R3LM

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)

Functions: Range reduction

Integrated laser alignment aid: Yes



Combination product

MLD535-R4LM

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...





MLD535-R2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD535-R3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD535-R4L

Multiple light beam safety device receiver

Number of beams: 4 Piece(s)
Functions: Contactor monitoring (EDM), selectable, Alternativ...



MLD500-T4L

Multiple light beam safety device transmitter

Number of beams: 4 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD535-XR2L

Multiple light beam safety device receiver

Number of beams: 2 Piece(s)
Functions: Contactor monitoring (EDM),
selectable, Alternativ...



MLD500-XT2L

Multiple light beam safety device transmitter

Number of beams: 2 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes

Combination product



MLD535-XR3L

Multiple light beam safety device receiver

Number of beams: 3 Piece(s)
Functions: Contactor monitoring (EDM),
selectable, Alternativ...



MLD500-XT3L

Multiple light beam safety device transmitter

Number of beams: 3 Piece(s)
Functions: Range reduction
Integrated laser alignment aid: Yes



MLD510-RT2

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD510-RT2/A

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD510-RT2E/A

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD510-RT3

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

[Display other\(1\)](#)

Combination product



MLD510-RT3/A

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

[Display other\(1\)](#)

Combination product



MLD510-RT3E/A

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m
Number of beams: 3 Piece(s)



MLD510-RT2M/A

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)
Functions: Automatic restart
Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD510-RT2ME/A

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)
Functions: Automatic restart
Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD510-RT3M/A

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)
Functions: Automatic restart
Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)



MLD510-RT3ME/A

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Automatic restart

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)



MLD520-RT2

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Start/restart interlock (RES), selectable, Configu...

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD520-RT2M

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD520-RT3M

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Configurat...

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

Combination product



MLD530-RT2

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: No

MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)



MLD530-RT3

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)



MLD530-RT2M

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: Yes



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)



MLD530-RT3M

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: Yes



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)



MLD535-RT2

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM),
selectable, Alternativ...

Integrated muting indicator: No



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD535-RT3

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM),
selectable, Alternativ...

Integrated muting indicator: No



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

Combination product



MLD535-RT2M

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: Yes



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD535-RT3M

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Contactor monitoring (EDM), selectable, Alternativ...

Integrated muting indicator: Yes



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

Combination product



MLD531-RT2M

Multiple light beam safety device transceiver

Number of beams: 2 Piece(s)

Functions: Alternative connection for second muting signal, C...

Integrated muting indicator: Yes



MLD-M002

Deflecting mirror

Number of beams: 2 Piece(s)

Combination product



MLD531-RT3M

Multiple light beam safety device transceiver

Number of beams: 3 Piece(s)

Functions: Alternative connection for second muting signal, C...

Integrated muting indicator: Yes



MLD-M003

Deflecting mirror

Operating range, max.: 0,5 ... 6 m

Number of beams: 3 Piece(s)

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>