

Датчики контрастности

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



KRT3CW.Q3S2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, PNP



KRT3CW.L3S2/2T-200-M12

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, NPN



KRT3CW.L3S1/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, PNP



KRT3CW.L3S1/4T-200-M12

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, PNP



KRT3CW.L3S2/6T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT3CW.L3S1/6T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT3CW.L3S2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, PNP



KRT3CW.L3S1/4T

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, PNP



KRT3CL1.3S2/4T-200-M12

Contrast sensor

Series: 3C

Operating range, m

Light source: Laser, Red

Switching output: Transistor, PNP



KRT3CL1.3S2/2T-M8

Contrast sensor

Series: 3C

Operating range, max.: 60 mm

Light source: Laser, Red

Switching output: Transistor, NPN



KRT3CL1.3S2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 60 mm

Light source: Laser, Red

Switching output: Transistor, PNP



KRT3CL1.3S2/6T-M8

Contrast sensor

Series: 3C

Operating range, max.: 60 mm

Light source: Laser, Red

Switching output: Transistor, Push-pull



KRT3CL1.3S2/4T

Contrast sensor

Series: 3C

Operating range, max.: 60 mm

Light source: Laser, Red

Switching output: Transistor, PNP



KRT3CM.L3D2/2T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, NPN



KRT3CM.L3S2/2T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, NPN



KRT3CM.Q3S2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT3CM.Q3S2/6T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT3CM.L3D2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT3CM.L3D2/4T-200-M12

Contrast sensor

Series: 3C

Light source: LED, RGB

Switching output: Transistor, PNP



KRT3CM.L3S2/4T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT3CM.L3S2/6T-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT3CM.L3S2/4T-200-M12

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT3CM.L3S2/4T-200-M8

Contrast sensor

Series: 3C

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT18BW.H2/G6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.HS5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.HT5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.H5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.V3/G6X-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.V2/G6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.VS5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.VT5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BW.V5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRT18BM.V2/GV2T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BW.H3/G6X-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRTM 3B/L6.1127-S8

Contrast sensor

Series: 3B

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRTM 20M/V-12-0004-S12

Contrast sensor

Series: 20

Operating range, max.: 12 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRT18BM.V2/GV1T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.V2/GC1T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.H2/GCT-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.V2/GCT-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.H3/G6X-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.V3/G6X-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.H2/G6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.V2/G6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.HS5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.VS5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.HT5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.VT5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.H5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT18BM.V5/L6T-M12

Contrast sensor

Series: 18B

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRT21M-09.PL3/42-M12

Contrast sensor

Series: 21

Operating range, max.: 9 mm

Light source: LED, RGB

Switching output: Transistor, NPN



KRTM 3B/6.2121-S8

Contrast sensor

Series: 3B

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRTM 20M/P-12-6420-S12

Contrast sensor

Series: 20

Operating range, max.: 12 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/P-50-6320-S12

Contrast sensor

Series: 20

Operating range, max.: 50 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/P-20-3320-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/N-20-3320-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, NPN



KRTW 55/4.1121,5000

Contrast sensor

Series: 55

Operating range, m

Light source: LED, White

Switching output: Transistor, PNP



KRTM 55/4.1121,5000

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/C-20-6526-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/N-20-6320-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, NPN



KRTM 20M/P-20-6320-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 55/4.1121-S8

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTW 55/4.1121-S8

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, PNP



KRTL 3B/6.3111-S8

Contrast sensor

Series: 3B

Operating range, max.: 60 mm

Light source: Laser, Red

Switching output: Transistor, Push-pull



KRTW 3B/6.1321-S8

Contrast sensor

Series: 3B

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRTW 3B/6.1121-S8

Contrast sensor

Series: 3B

Operating range, max.: 14.5 mm

Light source: LED, White

Switching output: Transistor, Push-pull



KRTM 3B/6.1121-S8

Contrast sensor

Series: 3B

Operating range, max.: 14.5 mm

Light source: LED, RGB

Switching output: Transistor, Push-pull



KRTM 55/4.1221,200-S12

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 55/4.1221-S8

Contrast sensor

Series: 55

Operating range, m

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 55/4.1121,200-S12

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTW 55/4.1121,200-S12

Contrast sensor

Series: 55

Operating range, max.: 13 mm

Light source: LED, White

Switching output: Transistor, PNP



KRTM 20M/V-20-0004-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, PNP



KRTM 20M/V-20-0001-S12

Contrast sensor

Series: 20

Operating range, max.: 20 mm

Light source: LED, RGB

Switching output: Transistor, PNP

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>