

Световые завесы безопасности MLC 510/MLC 520

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



MLC510R14-150

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-300

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-450

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-600

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-750

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-900

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1050

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1200

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-1950

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1950

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-2100

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2100

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-2250

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2400

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-2700

Safety light curtain transmitter



MLC510R14-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R20-150

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-225

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-300

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-450

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R14-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC500T14-1050

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC500T14-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R20-600

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R20-750

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R20-900

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R20-1950

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R20-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm



MLC510R20-2400

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2400

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-2550

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2550

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-2700

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2700

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R30-150

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-150

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm



MLC510R30-225

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-225

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-300

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-450

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-600

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-750

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-900

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R20-2250

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R90-2250

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R30-1050

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1200

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1350

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-1800

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-1950

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1950

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-2100

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2100

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm



MLC510R30-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2400

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-2850

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2850

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-3000

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-3000

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R40-150

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-225

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-225

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-300

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-450

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-600

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-750

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-900

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R30-2700

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2700

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T90-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R30-2700

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2700

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R40-1500

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1500

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-1650

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-1950

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R40-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-2400

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2400

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-2550

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2550

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-2700

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2700

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-2850

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2850

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-3000

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-3000

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R90-450

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R90-600

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC510R90-750

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC510R90-900

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC510R90-1950

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC510R90-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC510R90-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2400

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2700

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R14-150

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-150

Safety light curtain transmitter

Series: MLC 500



MLC520R14-300

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



Combination product



MLC520R14-450

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-600

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-750

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-900

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R14-1200

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1350

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1500

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1800

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1950

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T14-1950

Safety light curtain transmitter

Series: MLC 500

MLC520R14-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product

MLC520R14-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product

MLC520R14-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2400

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-2550

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2550

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-2700

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2700

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-2850

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R14-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R20-150

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-150

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-225

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-300

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-450

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-600

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC520R20-750

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T20-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product

MLC520R20-900

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T20-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product

MLC520R20-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R20-1650

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1950

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-2400

Safety light curtain transmitter

Series: MLC 500

MLC520R20-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product

MLC520R20-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-2700

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product

MLC520R20-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-2850

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-3000

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-3000

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R30-150

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-225

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-300

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-450

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-600

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-750

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-900

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1050

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC520R30-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC520R30-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC520R30-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R30-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1800

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1950

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2400

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2700

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-2850

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC520R30-3000

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-3000

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC520R40-150

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC520R40-225

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-225

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R40-300

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-450

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-600

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R40-750

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-900

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-900

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1050

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1200

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1350

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1500

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC520R40-1650

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC520R40-1800

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1800

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC520R40-1950

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1950

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R40-2100

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2100

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-2250

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-2400

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2400

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T40-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T40-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T30-225

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T20-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC500T30-1950

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R40-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2700

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R90-450

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-600

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

MLC520R90-750

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product

MLC520R90-900

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product

MLC520R90-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC520R90-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R90-1650

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1950

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-2100

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-2250

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-2400

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-2400

Safety light curtain transmitter



MLC520R90-2550

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2550

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-2700

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1




MLC500T90-2700

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-2850

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-2850

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

MLC520R90-3000

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-3000

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

MLC500T30-1650-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

MLC502T30-300/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-1500

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

MLC500T40-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC511R30-750.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-1050.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-1350.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-1650.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC511R30-2100.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

Combination product



MLC510R20-1500.1

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



Combination product



MLC510R40-150.1

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-150

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-750.1

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-1050.1

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product	
	MLC510R40-1200.1 Safety light curtain receiver Series: MLC 500 Resolution: 40 mm Performance Level (PL): e, EN ISO 13849-1
	MLC500T40-1200 Safety light curtain transmitter Series: MLC 500 Resolution: 40 mm

Combination product	
	MLC510R40-1500.1 Safety light curtain receiver Series: MLC 500 Resolution: 40 mm Performance Level (PL): e, EN ISO 13849-1
	MLC500T40-1500 Safety light curtain transmitter Series: MLC 500 Resolution: 40 mm

Combination product	
	MLC510R40-1650.1 Safety light curtain receiver Series: MLC 500 Resolution: 40 mm Performance Level (PL): e, EN ISO 13849-1



MLC510R40-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC500T14300/301500

Safety light curtain transmitter

Series: MLC 500, MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1, e, EN ISO 13849-1



MLC500T14300/301200

Safety light curtain transmitter

Series: MLC 500, MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1, e, EN ISO 13849-1

Combination product



MLC510R30-900-UDC-1600-S2

Safety sensor/receiver set

Series: MLC-UDC

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

MLC500T30-900-UDC-1600-S2

Safety sensor/transmitter set

Series: MLC-UDC

MLC510R14-300-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 14 mm



Combination product

MLC510R14-450-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 14 mm



Combination product

MLC510R14-600-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1





MLC500T14-600-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 14 mm



MLC510R14-750-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-900-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-1050-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-1200-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R30-300-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 30 mm



MLC500T30-1050-IP-25

Safety sensor/transmitter set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R30-450-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-600-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-750-IP

Safety sensor/receiver set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750-IP

Safety sensor/transmitter set

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-900-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1050-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1200-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1200-IP

Safety sensor/transmitter set

MLC500T20-600-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 20 mm



MLC500T90-750-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300-IP-25

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



Combination product

MLC510R30-300-IP-25

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm





MLC510R30-1050-IP-25

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R20-1050-IP-25

Safety sensor/receiver set

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050-IP-25

Safety sensor/transmitter set

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-300-IP-25

Safety sensor/receiver set

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300-IP-25

Safety sensor/transmitter set

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R30-1500-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R14-1500-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R20-1650-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-1650-IP

Safety sensor/transmitter set

Series: MLC 500



MLC510R14-300/V

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-450/V

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-600/V

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-750/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-900/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R30-300/V

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R30-450/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-600/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-750/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-900/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R14-150/V

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-150/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-300/V

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-300/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC520R14-450/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T14-450/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC520R14-600/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T14-600/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC520R14-750/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-900/V

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R30-150/V

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-150/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-300/V

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-450/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-600/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-750/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-900/V

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900/V

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R14-300

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R14-450

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC501T14-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC511R14-600

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T14-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC511R14-750

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T14-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC511R14-900

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC511R14-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC511R14-1500

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1500

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R14-1650

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R14-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R30-300

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R30-450

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R30-600

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC501T30-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC511R30-750

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T30-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC511R30-900

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T30-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC511R30-1050

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC511R30-1200

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-1350

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-1500

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T30-300/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T14-1500/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T20-1350/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC500T30-1200/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T40-1050/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC511R30-1650

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R30-1800

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R14-150/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-150/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-300/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-450/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-600/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-600/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC510R14-750/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T14-750/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC510R14-900/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T14-900/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC510R14-1050/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-1200/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-1350/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-1500/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R14-1650/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1800/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R20-150/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-150/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-225/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-300/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-450/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-450/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC510R20-600/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T20-600/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product

MLC510R20-750/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T20-750/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product

MLC510R20-900/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-900/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R20-1050/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-1200/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-1350/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R20-1500/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-1650/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-1800/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R30-150/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-150/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-225/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-225/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-300/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-300/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC510R30-450/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-450/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC510R30-600/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-600/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC510R30-750/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-900/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-1050/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-1200/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R30-1350/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1500/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1650/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1650/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1800/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R40-150/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-150/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-225/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-225/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC510R40-300/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-300/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC510R40-450/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-450/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC510R40-600/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-600/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-750/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-900/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-900/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-1050/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R40-1200/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1350/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1500/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1500/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1650/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1650/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1800/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1800/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R90-450/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-450/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

MLC510R90-600/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-600/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product

MLC510R90-750/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-750/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product

MLC510R90-900/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1050/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-1200/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-1350/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R90-1500/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1650/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1800/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R14-300H

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300H

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-450H

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450H

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-600H

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-600H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC520R14-750H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-900H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1050H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-1200H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1350H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1500H

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500H

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T90-1350/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC501T14-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T30-300/V

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R14-1650H

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650H

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1800H

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800H

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R20-225H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225H

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-300H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300H

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-450H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-450H

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-600H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-600H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-750H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-750H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



Combination product



MLC520R20-900H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-900H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1050H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-1200H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1350H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1350H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1500H

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500H

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC500T90-1350/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC500T30-1650H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T40-1800H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T14-450H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T20-450H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-1650H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650H

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1800H

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800H

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R30-300H

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300H

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-450H

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450H

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-600H

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600H

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-750H

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-750H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC520R30-900H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-900H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC520R30-1050H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1050H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product

MLC520R30-1200H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1200H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R30-1350H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1500H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500H

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1650H

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-1800H

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800H

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R40-300H

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300H

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-450H

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-450H

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-600H

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-600H

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-750H

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750H

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-900H

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-900H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC520R40-1050H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC520R40-1200H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC520R40-1350H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T40-1350H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R40-1500H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1500H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-1650H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1650H

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-1800H

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R90-450H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-450H

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-600H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600H

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-750H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-750H

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-900H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900H

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1050H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050H

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1200H

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-1200H

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

MLC520R90-1350H

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350H

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



Combination product

MLC520R90-1500H

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500H

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



Combination product

MLC520R90-1650H

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T90-1650H

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC520R90-1800H

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800H

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R14-300H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-450H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R14-600H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-750H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-900H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1050H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1200H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1350H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-1350H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC510R14-1500H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



Combination product

MLC510R14-1650H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



Combination product

MLC510R14-1800H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T14-1800H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R20-225H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-300H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC510R20-450H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R20-600H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-600H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-750H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-750H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-900H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-900H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-1050H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-1200H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R20-1350H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-1350H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC510R20-1500H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



Combination product

MLC510R20-1650H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



Combination product

MLC510R20-1800H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T20-1800H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC510R30-300H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-450H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R30-600H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R30-750H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-900H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1050H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1200H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1200H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1350H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-1500H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1500H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1650H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1650H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



Combination product



MLC510R30-1800H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC510R40-300H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R40-450H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-450H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-600H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-600H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC510R40-750H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T30-600H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T90-1050H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC500T14-1050G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T20-900G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC500T30-750G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R40-900H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-900H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1050H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1200H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1350H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1500H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1500H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC510R40-1650H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1650H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC510R40-1800H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1800H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product

MLC510R90-450H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-450H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product

MLC510R90-600H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-750H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-750H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-900H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900H/A

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-1050H/A

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510R90-1200H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1350H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1500H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1650H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-1800H/A

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800H/A

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R14-150G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T14-150G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-300G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



Combination product



MLC520R14-450G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-600G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-750G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-900G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900G

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1050G

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R14-1200G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200G

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1350G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350G

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1500G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500G

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1650G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650G

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1800G

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800G

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R20-150G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-150G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC520R20-225G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-225G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-300G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-450G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-450G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-600G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-600G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-750G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-750G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-900G

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R20-1050G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1050G

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1200G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200G

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1350G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1350G

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1500G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500G

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1650G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650G

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1800G

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-1800G

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC520R30-150G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-150G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-225G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-225G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-300G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R30-450G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-600G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-750G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-900G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900G

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1050G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050G

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1200G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1200G

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1350G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350G

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1500G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500G

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1650G

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-1650G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R30-1800G

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800G

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



Combination product

MLC520R40-150G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-150G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC520R40-225G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T40-225G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R40-300G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-450G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-450G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-600G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R40-750G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750G

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-900G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-900G

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1050G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050G

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1200G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200G

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1350G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350G

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1500G

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-1500G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC520R40-1650G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1650G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-1800G

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1800G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R90-450G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-450G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC520R90-600G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-750G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-750G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-900G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC500T40-600G

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC500T14-1050MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC500T20-1050MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC500T30-1200MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC500T40-1350MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R90-1050G

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050G

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1200G

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200G

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1350G

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350G

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-1500G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1650G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1800G

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1

MLC500T90-1800G

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC520R14-300MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-300MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



Combination product



MLC520R14-450MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-600MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC520R14-750MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-900MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC520R14-1050MG

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R14-1200MG

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1350MG

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1500MG

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1650MG

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R14-1800MG

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC520R20-225MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T20-225MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

MLC520R20-300MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-300MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-450MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-450MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-600MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-600MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm



MLC520R20-750MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-750MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-900MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T20-900MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 20 mm

Combination product



MLC520R20-1050MG

Safety light curtain receiver

Series: MLC 500
Resolution: 20 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R20-1200MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1200MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1350MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1350MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1500MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1500MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1650MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1650MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R20-1800MG

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC520R30-300MG

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-300MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

MLC520R30-450MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-600MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-750MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC520R30-900MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1050MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC520R30-1200MG

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R30-1350MG

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1500MG

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1650MG

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1650MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R30-1800MG

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC520R40-300MG

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-450MG

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T40-450MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

MLC520R40-600MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-600MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC520R40-750MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-750MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC520R40-900MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T40-900MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC520R40-1050MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1050MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-1200MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1200MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm

Combination product



MLC520R40-1350MG

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R40-1500MG

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1500MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1650MG

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1650MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R40-1800MG

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1800MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm

Combination product



MLC520R90-450MG

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-450MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-600MG

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC520R90-750MG

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T90-750MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

MLC520R90-900MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1050MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1050MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1200MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC520R90-1350MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1500MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1500MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC520R90-1650MG

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC520R90-1800MG

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800MG

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC511R14-300.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R14-450.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T14-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC511R14-600.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-750.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-900.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1650MG

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

MLC501T14-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

MLC511R14-1050.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T14-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC511R14-1200.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1

MLC501T14-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product

MLC511R14-1350.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC511R14-1500.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-1650.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T14-1650

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC511R14-1800.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC511R30-300.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-450.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-600.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC501T30-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product



MLC511R30-900.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-900

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R30-1200.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC511R30-1500.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC501T30-1500

Safety light curtain transmitter

Series: MLC 500

MLC511R30-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC501T30-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm



Combination product

MLC510R14-150.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-150

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



Display other(1)

Combination product

MLC510R14-300.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1





MLC500T14-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-450.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-600.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-750.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-750

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC501T14-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R40-1350.1

Safety light curtain receiver

Series: MLC 500

Resolution: 40 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T40-1350

Safety light curtain transmitter

Series: MLC 500

Resolution: 40 mm



MLC510R14-900.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-900

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

[Display other\(1\)](#)

Combination product



MLC510R14-1050.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1050

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

[Display other\(1\)](#)

Combination product



MLC510R14-1200.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1200

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1350.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1350

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1500.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1500

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-1650.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1650

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm



MLC510R14-1950.1

Safety light curtain receiver

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-1950

Safety light curtain transmitter

Series: MLC 500

Resolution: 14 mm

Combination product



MLC510R14-2100.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2100

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm



MLC510R14-2250.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R14-2550.1

Safety light curtain receiver

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T14-2550

Safety light curtain transmitter

Series: MLC 500
Resolution: 14 mm

Combination product



MLC510R20-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 20 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T20-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 20 mm

Combination product



MLC510R30-150.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-150

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-300.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-300

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm



MLC510R30-450.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-450

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-600.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-600

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-750.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-750

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-900.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1050.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1050

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1200.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1350.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



MLC510R30-1500.1

Safety light curtain receiver


Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1500

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm

Combination product	
	MLC510R30-1650.1 Safety light curtain receiver Series: MLC 500 Resolution: 30 mm Performance Level (PL): e, EN ISO 13849-1
	MLC500T30-1650 Safety light curtain transmitter Series: MLC 500 Resolution: 30 mm
	MLC510R90-1650.1 Safety light curtain receiver Series: MLC 500 Resolution: 90 mm Performance Level (PL): e, EN ISO 13849-1
	MLC500T90-1650 Safety light curtain transmitter Series: MLC 500 Resolution: 90 mm
	MLC500T20-450-EX2 Safety light curtain transmitter Series: MLC 500, MLC 500 Resolution: 20 mm
	MLC500T20-1650-EX2 Safety light curtain transmitter Series: MLC 500, MLC 500 Resolution: 20 mm



MLC510R30-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm



MLC510R30-2100.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2100

Safety light curtain transmitter

Series: MLC 500

Resolution: 30 mm

Combination product



MLC510R30-2250.1

Safety light curtain receiver

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1

MLC500T30-2250

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm
MLC510R30-2550.1

Safety light curtain receiver

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T30-2550

Safety light curtain transmitter

Series: MLC 500
Resolution: 30 mm



Combination product

MLC510R40-300.1

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T40-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



Combination product

MLC510R40-900.1

Safety light curtain receiver

Series: MLC 500
Resolution: 40 mm
Performance Level (PL): e, EN ISO 13849-1





MLC500T40-300

Safety light curtain transmitter

Series: MLC 500
Resolution: 40 mm



MLC510R90-450.1

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-450

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-600.1

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-600

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-900.1

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-900

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm



MLC510R90-1200.1

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1200

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-1350.1

Safety light curtain receiver

Series: MLC 500
Resolution: 90 mm
Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1350

Safety light curtain transmitter

Series: MLC 500
Resolution: 90 mm

Combination product



MLC510R90-1800.1

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-1800

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm

Combination product



MLC510R90-2250.1

Safety light curtain receiver

Series: MLC 500

Resolution: 90 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T90-2250

Safety light curtain transmitter

Series: MLC 500

Resolution: 90 mm



MLC500T14300/301800

Safety light curtain transmitter

Series: MLC 500, MLC 500

Resolution: 30 mm



MLC500T14300/902250

Safety light curtain transmitter

Series: MLC 500, MLC 500

Resolution: 90 mm



MLC500T14300/901800

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 90 mm



MLC500T14300/30600

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 30 mm



MLC500T14300/90600

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 90 mm



MLC500T14300/30900

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 30 mm



MLC500T14300/90900

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 90 mm



MLC500T14300/302250

Safety light curtain transmitter

Series: MLC 500, MLC 500
Resolution: 30 mm



MLC510-14-300.1-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-600.1-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-900.1-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1200.1-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1500.1-SB10

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1800.1-SB10

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-300-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-600-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-900-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1200-B

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1500-SB10

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1800-SB10

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1500-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-450-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-600-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-900-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1050-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1200-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1350-SB10

Safety sensor set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1500-SB10

Safety sensor set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-30-1800-SB10

Safety sensor set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-30-450.1-B

Safety sensor set

Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-30-600.1-B

Safety sensor set


Series: MLC 500
Resolution: 30 mm
Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1200-1200-SB10

Safety sensor set

Series: MLC 500
Resolution: 14 mm
Performance Level (PL): e, EN ISO 13849-1




MLC510-14-1200-1650-SB10

Safety sensor set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-900.1-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-1050.1-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-1200.1-B

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-1350.1-SB10

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-1500.1-SB10

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-30-1800.1-SB10

Safety sensor set

Series: MLC 500

Resolution: 30 mm

Performance Level (PL): e, EN ISO 13849-1




MLC510-14-1200-1200.1-SB10

Safety sensor set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC510-14-1200-1650.1-SB10

Safety sensor set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1

Combination product



MLC510R14-450/A-IP

Safety sensor/receiver set

Series: MLC 500

Resolution: 14 mm

Performance Level (PL): e, EN ISO 13849-1



MLC500T14-450/A-IP

Safety sensor/transmitter set

Series: MLC 500

Resolution: 14 mm

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>