

Световые завесы безопасности MLC 530

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>

Combination product



MLC530R14-150

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T14-150

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R14-300

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T14-300

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R14-450

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...





MLC500T14-450


Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R14-600 Safety light curtain receiver Resolution: 14 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T14-600 Safety light curtain transmitter Resolution: 14 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R14-750 Safety light curtain receiver Resolution: 14 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T14-750 Safety light curtain transmitter Resolution: 14 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R14-900 Safety light curtain receiver Resolution: 14 mm Functions: Transmission channel changeover, Combination of fl...

MLC500T14-900

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission

MLC530R14-1050

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T14-1050

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R14-1200

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T14-1200

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R14-1350

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-1350

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover



MLC530R14-1500

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T14-1500

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R14-1650

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T14-1650

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R14-1800

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R14-1950

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-1950

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R14-2100

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-2100

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R14-2250

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-2250

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R14-2400

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-2400

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R14-2550

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-2550

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R14-2700

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T14-2700

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission



MLC530R14-2850

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-2850

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover



Combination product

MLC530R14-3000

Safety light curtain receiver

Resolution: 14 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T14-3000

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission
channel changeover



Combination product

MLC530R20-150

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...





MLC500T20-150

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover



MLC530R20-225

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T20-225

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R20-300

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T20-300

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R20-450

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R20-600

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-600

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-750

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-750

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-900

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-900

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-1050

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-1050

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-1200

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-1200

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-1350

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T20-1350

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission

MLC530R20-1500

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T20-1500

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R20-1650

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T20-1650

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R20-1800

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-1800

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover



MLC530R20-1950

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T20-1950

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R20-2100

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T20-2100

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R20-2250

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T20-2250

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover



MLC500T14-1800

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover



MLC500T20-450

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission channel changeover



MLC500T14-1800

Safety light curtain transmitter

Resolution: 14 mm

Functions: Range reduction, Transmission channel changeover



MLC500T30-900

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover



MLC500T30-2700

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover



MLC530R20-2400

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-2400

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-2550

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-2550

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-2700

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-2700

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-2850

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-2850

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R20-3000

Safety light curtain receiver

Resolution: 20 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T20-3000

Safety light curtain transmitter

Resolution: 20 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R30-150

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T30-150

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission

MLC530R30-225

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T30-225

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R30-300

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T30-300

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R30-450

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-450

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover



MLC530R30-600

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T30-600

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R30-750

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T30-750

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R30-900

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R30-1050

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-1050

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R30-1200

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-1200

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R30-1350

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...





MLC500T30-1350


Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product	
	MLC530R30-1500 Safety light curtain receiver Resolution: 30 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T30-1500 Safety light curtain transmitter Resolution: 30 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R30-1650 Safety light curtain receiver Resolution: 30 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T30-1650 Safety light curtain transmitter Resolution: 30 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R30-1800 Safety light curtain receiver Resolution: 30 mm Functions: Transmission channel changeover, Combination of fl...

MLC500T30-1800

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission

MLC530R30-1950

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T30-1950

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R30-2100

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T30-2100

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R30-2250

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-2250

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover



MLC530R30-2400

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T30-2400

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R30-2550

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T30-2550

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R30-2700

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R30-2850

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-2850

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R30-3000

Safety light curtain receiver

Resolution: 30 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T30-3000

Safety light curtain transmitter

Resolution: 30 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-150

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...





MLC500T40-150


Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product	
	MLC530R40-225 Safety light curtain receiver Resolution: 40 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T40-225 Safety light curtain transmitter Resolution: 40 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R40-300 Safety light curtain receiver Resolution: 40 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T40-300 Safety light curtain transmitter Resolution: 40 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R40-450 Safety light curtain receiver Resolution: 40 mm Functions: Transmission channel changeover, Combination of fl...

MLC500T40-450

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission

MLC530R40-600

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-600

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R40-750

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-750

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R40-900

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-900

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover



MLC530R40-1050

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T40-1050

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R40-1200

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T40-1200

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R40-1350

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R40-1500

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-1500

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-1650

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-1650

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-1800

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-1800

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-1950

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-1950

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-2100

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T40-2100

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R40-2250

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-2250

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission

MLC530R40-2400

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-2400

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R40-2550

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-2550

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R40-2700

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T40-2700

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover

MLC530R40-2850

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel changeover, Combination of fl...

MLC500T40-2850

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover

Combination product

MLC530R40-3000

Safety light curtain receiver

Resolution: 40 mm

Functions: Transmission channel changeover, Combination of fl...

MLC500T40-3000

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover

Combination product

MLC530R90-450

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T90-450

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission channel changeover



MLC500T40-1350

Safety light curtain transmitter

Resolution: 40 mm

Functions: Range reduction, Transmission channel changeover



MLC500T90-2250

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission channel changeover



MLC530R30-450/V

Safety light curtain receiver

Resolution: 30 mm

Version: Extra shock-resistant

Functions: Fixed blanking without tolerance, can be activated...



MLC500T30-450/V

Safety light curtain transmitter

Resolution: 30 mm

Version: Extra shock-resistant

Functions: Range reduction, Transmission channel changeover



MLC500T20-300-IP-25

Safety sensor/transmitter set

Resolution: 20 mm

Functions: Transmission channel changeover, Range reduction



MLC530R90-600

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-600

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-750

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-750

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-900

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-900

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-1050

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-1050

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-1200

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-1200

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-1350

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T90-1350

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission

MLC530R90-1500

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T90-1500

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R90-1650

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...

MLC500T90-1650

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product

MLC530R90-1800

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-1800

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission channel changeover



MLC530R90-1950

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T90-1950

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R90-2100

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel changeover, Combination of fl...



MLC500T90-2100

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R90-2250

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel changeover, Combination of fl...



MLC530R90-2400

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-2400

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-2550

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...



MLC500T90-2550

Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product



MLC530R90-2700

Safety light curtain receiver

Resolution: 90 mm

Functions: Transmission channel
changeover, Combination of fl...





MLC500T90-2700


Safety light curtain transmitter

Resolution: 90 mm

Functions: Range reduction, Transmission
channel changeover

Combination product	
	MLC530R90-2850 Safety light curtain receiver Resolution: 90 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T90-2850 Safety light curtain transmitter Resolution: 90 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R90-3000 Safety light curtain receiver Resolution: 90 mm Functions: Transmission channel changeover, Combination of fl...
	MLC500T90-3000 Safety light curtain transmitter Resolution: 90 mm Functions: Range reduction, Transmission channel changeover

Combination product	
	MLC530R14-300/V Safety light curtain receiver Resolution: 14 mm Version: Extra shock-resistant Functions: Integration of "contact-based safety circuit", Com...



MLC500T14-300/V

Safety light curtain transmitter

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Range reduction, Transmission channel changeover

MLC530R14-450/V

Safety light curtain receiver

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Reduced resolution, can be changed to "fixed blank...



MLC500T14-450/V

Safety light curtain transmitter

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Range reduction, Transmission channel changeover

Combination product



MLC530R14-600/V

Safety light curtain receiver

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Integration of "electronic safety-related switchin...



MLC500T14-600/V

Safety light curtain transmitter

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Transmission channel changeover, Range reduction

Combination product




MLC530R14-750/V

Safety light curtain receiver

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Fixed blanking with 1-beam tolerance, Combination ...



MLC500T14-750/V


Safety light curtain transmitter

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Transmission channel
changeover, Range reduction

Combination product



MLC530R14-900/V

Safety light curtain receiver

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Contactor monitoring (EDM),
Combination of floatin...



MLC500T14-900/V


Safety light curtain transmitter

Resolution: 14 mm

Version: Extra shock-resistant

Functions: Range reduction, Transmission
channel changeover

Combination product




MLC530R30-300/V

Safety light curtain receiver

Resolution: 30 mm

Version: Extra shock-resistant

Functions: Integration of "electronic safety-
related switchin...



MLC500T30-300/V

Safety light curtain transmitter

Resolution: 30 mm

Version: Extra shock-resistant

Functions: Transmission channel
changeover, Range reduction

Combination product



MLC530R30-600/V

Safety light curtain receiver

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Fixed blanking without tolerance, can be activated...



MLC500T30-600/V

Safety light curtain transmitter

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Transmission channel changeover, Range reduction

Combination product



MLC530R30-750/V

Safety light curtain receiver

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Contactor monitoring (EDM), Combination of floatin...



MLC500T30-750/V

Safety light curtain transmitter

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Transmission channel changeover, Range reduction

Combination product



MLC530R30-900/V

Safety light curtain receiver

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Fixed blanking with 1-beam tolerance, Combination ...



MLC500T30-900/V

Safety light curtain transmitter

Resolution: 30 mm
Version: Extra shock-resistant
Functions: Transmission channel



MLC530R20-1800-SPG-EX2

Safety light curtain receiver

Resolution: 20 mm
Version: Ex-protection
Functions: Transmission channel
changeover, Configuration by ...



MLC500T20-1800-EX2

Safety light curtain transmitter

Resolution: 20 mm
Version: Ex-protection
Functions: Start/restart interlock (RES),
Contactor monitorin...

Combination product



MLC530R20-600-IP

Safety sensor/receiver set

Resolution: 20 mm
Functions: Configuration by means of
wiring



MLC500T20-600-IP

Safety sensor/transmitter set

Resolution: 20 mm

Combination product



MLC530R20-300-IP-25

Safety sensor/receiver set

Resolution: 20 mm
Functions: Transmission channel changeover,
Automatic start/r...

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>