

Световые завесы безопасности MLC 520-S

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>



MLC520-S-14-150

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 150 mm



MLC520-S-14-210

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 210 mm



MLC520-S-14-270

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 270 mm



MLC520-S-14-300

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 300 mm



MLC520-S-14-330

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Finger protection
Protective field height: 330 mm



MLC520-S-14-360

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor monitoring (EDM...
Application: Finger protection
Protective field height: 360 mm



MLC520-S-14-390

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor monitoring (EDM...
Application: Finger protection
Protective field height: 390 mm



MLC520-S-14-420

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM), Automatic start/restart...
Application: Finger protection
Protective field height: 420 mm



MLC520-S-14-450

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES), Automatic start/restart...
Application: Finger protection
Protective field height: 450 mm



MLC520-S-14-480

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM), Automatic start/restart...
Application: Finger protection
Protective field height: 480 mm



MLC520-S-14-510

Safety sensor set

Resolution: 14 mm

Functions: Start/restart interlock (RES),
Automatic start/res...

Application: Finger protection

Protective field height: 510 mm



MLC520-S-14-540

Safety sensor set

Resolution: 14 mm

Functions: Automatic start/restart, Contactor
monitoring (EDM...

Application: Finger protection

Protective field height: 540 mm



MLC520-S-14-870

Safety sensor set

Resolution: 14 mm

Functions: Contactor monitoring (EDM),
Automatic start/restart...

Application: Finger protection

Protective field height: 870 mm



MLC520-S-14-900

Safety sensor set

Resolution: 14 mm

Functions: Start/restart interlock (RES),
Automatic start/res...

Application: Finger protection

Protective field height: 900 mm



MLC520-S-14-570

Safety sensor set

Resolution: 14 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Finger protection

Protective field height: 570 mm



MLC520-S-14-600

Safety sensor set

Resolution: 14 mm

Functions: Contactor monitoring (EDM), Automatic start/restart...

Application: Finger protection

Protective field height: 600 mm



MLC520-S-14-630

Safety sensor set

Resolution: 14 mm

Functions: Contactor monitoring (EDM), Automatic start/restart...

Application: Finger protection

Protective field height: 630 mm



MLC520-S-14-660

Safety sensor set

Resolution: 14 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Finger protection

Protective field height: 660 mm



MLC520-S-14-690

Safety sensor set

Resolution: 14 mm

Functions: Start/restart interlock (RES), Automatic start/res...

Application: Finger protection

Protective field height: 690 mm



MLC520-S-14-720

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 720 mm



MLC520-S-14-750

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 750 mm



MLC520-S-14-780

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 780 mm



MLC520-S-14-810

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 810 mm



MLC520-S-14-840

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Finger protection
Protective field height: 840 mm



MLC520-S-14-930

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 930 mm



MLC520-S-14-960

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 960 mm



MLC520-S-14-990

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 990 mm



MLC520-S-14-1020

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 1,020 mm



MLC520-S-14-1050

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Finger protection
Protective field height: 1,050 mm



MLC520-S-14-1080

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 1,080 mm



MLC520-S-14-1110

Safety sensor set

Resolution: 14 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Finger protection
Protective field height: 1,110 mm



MLC520-S-14-1140

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Finger protection
Protective field height: 1,140 mm



MLC520-S-14-1170

Safety sensor set

Resolution: 14 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Finger protection
Protective field height: 1,170 mm



MLC520-S-14-1200

Safety sensor set

Resolution: 14 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Finger protection
Protective field height: 1,200 mm



MLC520-S-24-270

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 270 mm



MLC520-S-24-300

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 300 mm



MLC520-S-24-330

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 330 mm



MLC520-S-24-360

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 360 mm



MLC520-S-24-390

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 390 mm



MLC520-S-24-420

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 420 mm



MLC520-S-24-450

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 450 mm



MLC520-S-24-480

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 480 mm



MLC520-S-24-510

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 510 mm



MLC520-S-24-540

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 540 mm



MLC520-S-24-570

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 570 mm



MLC520-S-24-600

Safety sensor set

Resolution: 24 mm

Functions: Start/restart interlock (RES), Automatic start/res...

Application: Hand protection

Protective field height: 600 mm



MLC520-S-24-150

Safety sensor set

Resolution: 24 mm

Functions: Start/restart interlock (RES), Automatic start/res...

Application: Hand protection

Protective field height: 150 mm



MLC520-S-24-210

Safety sensor set

Resolution: 24 mm

Functions: Start/restart interlock (RES), Automatic start/res...

Application: Hand protection

Protective field height: 210 mm



MLC520-S-24-630

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 630 mm



MLC520-S-24-660

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 660 mm



MLC520-S-24-690

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 690 mm



MLC520-S-24-720

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 720 mm



MLC520-S-24-750

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 750 mm



MLC520-S-24-780

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 780 mm



MLC520-S-24-810

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 810 mm



MLC520-S-24-840

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 840 mm



MLC520-S-24-870

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 870 mm



MLC520-S-24-900

Safety sensor set

Resolution: 24 mm

Functions: Automatic start/restart, Contactor monitoring (EDM...)

Application: Hand protection

Protective field height: 900 mm



MLC520-S-24-990

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 990 mm



MLC520-S-24-1020

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 1,020 mm



MLC520-S-24-1050

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 1,050 mm



MLC520-S-24-1080

Safety sensor set

Resolution: 24 mm
Functions: Contactor monitoring (EDM),
Automatic start/restart...
Application: Hand protection
Protective field height: 1,080 mm



MLC520-S-24-1110

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 1,110 mm



MLC520-S-24-1140

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 1,140 mm



MLC520-S-24-1170

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 1,170 mm



MLC520-S-24-1200

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 1,200 mm



MLC520-S-24-930

Safety sensor set

Resolution: 24 mm
Functions: Automatic start/restart, Contactor
monitoring (EDM...
Application: Hand protection
Protective field height: 930 mm



MLC520-S-24-960

Safety sensor set

Resolution: 24 mm
Functions: Start/restart interlock (RES),
Automatic start/res...
Application: Hand protection
Protective field height: 960 mm

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: ezu@nt-rt.ru || сайт: <https://leuze.nt-rt.ru/>